CLAIMS AS AMENDED

1. (Currently amended) A compound of formula (I) or a pharmaceutically, veterinarily or agriculturally acceptable salt or solvate thereof,

wherein:

 R^1 represents is phenyl or heteroaryl, optionally substituted by one or more groups independently selected from the group consisting of halo, cyano, hydroxy, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, C_{1-6} alkanoyl, C_{1-6} haloalkanoyl, C_{1-6} haloalkyl, C_{1-6} haloalkyl and pentafluorothio;

 R^2 is represents halo, cyano, nitro, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, C_{2-6} alkynyl, C_{2-6} haloalkynyl, $-S(O)_nC_{1-6}$ alkyl, $-S(O)_nC_{1-6}$ haloalkyl, $-(C_{0-3}alkylene)-C_{3-8}$ cycloalkyl, C_{1-6} alkanoyl, optionally substituted by C_{1-6} alkoxy, C_{1-6} haloalkanoyl, optionally substituted by C_{1-6} alkoxy, phenyl, het, $-(C_{0-3}alkylene)-N(R^a)R^b$, $-(C_{0-3}alkylene)-C(O)NR^aR^b$ or $-(C_{0-3}alkylene)-N(R^c)C(O)R^6$;

 R^3 represents is $C_{1.6}$ alkyl, $C_{1.6}$ haloalkyl, $C_{2.6}$ alkenyl, $C_{2.6}$ haloalkenyl, -(C_0 . 3alkylene)- $C_{3.8}$ cycloalkyl, -($C_{1.3}$ alkylene)- $S(O)_nC_{1.6}$ alkyl, -($C_{1.3}$ alkylene)- $S(O)_nC_1$. 6haloalkyl, -($C_{0.3}$ alkylene)- $N(R^a)R^b$, -($C_{0.3}$ alkylene)-phenyl, -($C_{0.3}$ alkylene)-het, -($C_{2.3}$ alkenylene)-het, $C_{1.6}$ alkanoyl, $C_{1.6}$ haloalkanoyl or

 $-N(R^c)CO_2R^6$;

 R^4 represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, -(C_{0-3} alkylene)- R^7 or -(C_{1-3} alkylene)- R^8 ;

or R³ and R⁴ taken together with the nitrogen and sulphur atoms to which they are attached form a 4 to 7-membered ring;

 R^5 represents is hydrogen, hydroxy, halo, $C_{1.6}$ alkyl, $C_{1.6}$ haloalkyl, $C_{2.6}$ alkenyl, $C_{2.6}$ haloalkenyl, $C_{1.6}$ alkoxy, $C_{1.6}$ haloalkoxy, $-N=C(R^{10})(C_{0.5}$ alkylene)- R^{11} or $-N(R^{12})R^{13}$;

R⁶ represents is C₁₋₆ alkyl or C₁₋₆ haloalkyl;

R⁷ represents is C₃₋₈cycloalkyl, -S(O)_nR⁹, phenyl, het, -CO₂R⁶ or C(O)N(R^a)R^b;

 R^8 represents is hydroxy, $C_{1\cdot 6}$ alkoxy, $C_{1\cdot 6}$ haloalkoxy, cyano, -N(R^a)R^b or -O-C(O)R^6 ;

 $R^9 \stackrel{}{\text{represents }} \underline{is} \ C_{1\text{-}6} \ alkyl, \ C_{1\text{-}6} \ haloalkyl, \ C_{3\text{-}8} cycloalkyl, \ -N(R^a)R^b, \ phenyl \ or \ het;$

 R^{10} represents is hydrogen, C_{1-6} alkyl or C_{1-6} haloalkyl;

 R^{11} represents is hydrogen, hydroxy, C_{1-3} alkoxy, $-N(R^a)R^b$, phenyl, het or C_{3-8} cycloalkyl, with the proviso that $-N=C(R^{10})(C_{0-5}$ alkylene) $-R^{11}$ is not $-N=CH_2$;

 R^{12} represents is hydrogen, $C_{1.6}$ alkyl, $C_{1.6}$ haloalkyl, $C_{1.6}$ alkenyl or $C_{1.6}$ haloalkenyl;

 R^{13} represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl, C_{1-6} haloalkenyl C_{3-8} cycloalkyl, phenyl, het, - $(C_{1-6}$ alkylene)- R^{14} , - $C(O)_p R^{15}$ or - $CON(R^{16})(C_{1-6}$ alkylene)- R^{17} ;

 R^{14} represents is hydroxy, C_{1-3} alkoxy, C_{1-3} haloalkoxy, C_{3-8} cycloalkyl, phenyl, het or $-N(R^a)R^b$;

 R^{15} represents is C_{1-6} alkyl, C_{1-6} haloalkyl or -(C_{1-6} alkylene)- C_{1-3} alkoxy;

R¹⁶ represents is hydrogen, C₁₋₆ alkyl or C₁₋₆ haloalkyl;

R¹⁷ represents is hydrogen or N(R^a)R^b;

 R^a and R^b independently represent hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl or C_{2-6} haloalkenyl, or R^a additionally represents is -(C_{0-3} alkylene)- C_{3-8} cycloalkyl, -(C_{0-3} alkylene)-phenyl or -(C_{0-3} alkylene)-het, or together R^a and R^b form a 4-to 7- membered ring, optionally substituted by one or more groups independently

selected from the group consisting of halo, hydroxy, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy and C_{1-6} haloalkoxy;

 R^{e} represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, -(C_{0-3} alkylene)- C_{3-8} cycloalkyl, -(C_{0-3} alkylene)-phenyl or -(C_{0-3} alkylene)-het;

n represents is an the integer selected from 0, 1 and or 2;

p represents is an the integer selected from 1 and or 2;

where het represents a four- to seven-membered heterocyclic group, which is aromatic or non-aromatic and which contains one or more heteroatoms selected from the group consisting of nitrogen, oxygen, sulfur and mixtures thereof;

where heteroaryl represents a 5 or 6 membered aromatic ring which contains 1-3 heteroatoms selected from N, O and S or 4 N atoms to form a tetrazolyl;

where both phenyl and het may be optionally substituted, where the valence allows, by one or more substituents independently selected from the group consisting of halo, hydroxy, cyano, nitro, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl, C_{1-6} haloalkoxy, C_{1-6} haloalkoxy, C_{3-8} cycloalkyl, C_{1-6} alkanoyl, C_{1-6} haloalkanoyl, C_{1-6} alkylcarbonyloxy, C_{1-6} alkoxycarbonyl and NR^aR^b ;

where C_{3-8} cycloalkyl may be optionally substituted by one or more groups independently selected from the group consisting of halo, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl, C_{1-6} haloalkenyl, hydroxy, C_{1-6} alkoxy and C_{1-6} haloalkoxy; and

where any alkylene or alkenylene group may be optionally substituted by one or more halo.

- 2. (Currently amended) A compound according to claim 1, wherein R¹ is a phenyl group which bears chloro substituents at the 2- and 6-positions, and a substitutent at the 4-position selected from the group consisting of trifluoromethyl, difluoromethoxy, trifluoromethylthio and pentafluorothio.
- 3. (Currently amended) A compound according to claim 1, wherein R^2 is selected from cyano, C_{1-6} haloalkyl, C_{3-8} cycloalkyl, e.g. eyelopropyl, C_{1-6} alkanoyl and or $-C(O)N(R^a)R^b$.

- 4. (Original) A compound according to claim 3, wherein R² is cyano.
- 5. (Currently amended) A compound according to claim 1, wherein R^3 is selected from C_{1-6} alkyl, C_{1-6} haloalkyl, C_{3-8} cycloalkyl, $-(C_{1-3}$ alkylene)- $S(O)_nC_{1-6}$ alkyl, $-N(R^a)R^b$, C_{1-6} alkanoyl, $-N(R^a)CO_2R^6$, phenyl, optionally substituted by one or more halo, and or benzyl.
- 6. (Original) A compound according to claim 5, wherein R³ is methyl.
- 7. (Currently amended) A compound according to claim 1, wherein R^4 is selected from hydrogen, $C_{1.6}$ alkyl, $C_{1.6}$ haloalkyl, $-(C_{0.3}$ alkylene)- $C_{3.8}$ cycloalkyl, cyanomethyl, 2-hydroxyethyl, $-(C_{1.2}$ alkylene)-het, $-(C_{0.3}$ alkylene)-phenyl, $-(C_{0.1}$ alkylene)- $S(O)_n R^9$, $-(C_{1.3}$ alkylene)- $C(O) R^6$, $-(C_{1.3}$ alkylene)- $C(O) R^8$ and or $-CO_2 R^6$.
- 8. (Currently amended) A compound according to claim 7, wherein R⁴ is selected from hydrogen, methyl, ethyl, trifluoromethyl, 2,2-difluoroethyl, 2,2,2-trifluoroethyl, methylsulfonyl, trifluoromethylsulfonyl, 2,2,2-trifluoroethylsulfonyl, aminosulfonyl, N,N-dimethylaminosulfonyl, methylsulfonymethyl, cyclopropyl, cyclobutyl, cyclopropylmethyl, 1-(trifluoromethyl)cyclopropylmethyl, cyanomethyl, methoxycarbonyl, triazolylethyl, pyrimidin-4-ylmethyl, 1,2,4-oxadiazol-3-ylmethyl, pyrazol-3-ylmethyl, 1-methyl-1H-imidazol-2-yl, 5-methyl-isoaxazol-3-ylmethyl, 2-pyridin-4-ylethyl, aminocarbonylmethyl, benzyl and or 4-fluorobenzyl.
- 9. (Currently amended) A compound according to claim 1, wherein R^5 is selected from hydrogen, halo, C_{1-6} alkoxy, $-NR^{12}R^{13}$, or $-N=C(H)R^{11}$, where R^{11} is ethoxy, N,N-dimethyl or phenyl[[,]] and $-NR^{12}R^{13}$,
- 10. (Original) A compound according to claim 9, wherein R⁵ is amino.
- 11. (Currently amended) A compound of formula (1) selected from the group consisting of:

N-{5-amino-3-cyano-1-[2,6-dichloro-4pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-(2,2-difluoroethyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-1,1,1-trifluoro-*N*-methylmethanesulfonamide;

N-{5-amino-3-cyano-1-{2,6-dichloro-4-(trifluoromethyl)phenyl}-1*H*-pyrazol-4-yl}-3.4-difluorobenzenesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl}-1*H*-pyrazol-4-yl}-*N*-(cyclopropylmethyl)methanesulfonamide;

N-{5-amino-3-cyano-1-{2,6-dichloro-4-(trifluoromethyl)phenyl}-1*H*-pyrazol-4-yl}-*N*-(cyanomethyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-*N*-(pyridin-2-ylmethyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-*N*-benzylmethanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl}-N-[2-(dimethylamino)ethyl]methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-1-(methylsulfonyl)methanesulfonamide;

 $N-\{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl\}-N-(2-hydroxyethyl)methanesulfonamide;$

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl}-1H-pyrazol-4-yl}-N-{(methylthio)methyl}methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl}-N-(methylsulfonyl)cyclopropanesulfonamide;

N-{:5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-*N*- [(dimethylamino)sulfonyl]methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl}-1-

phenylmethanesulfonamide;

(E)-N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl}-1H-pyrazol-4-yl}-2-phenylethylenesulfonamide;

N-[5-amino-1-[2,6-dichloro-4-pentafluorothiophenyl]-3-(trifluoromethyl)-1H-pyrazol-4-yl]-N-(methylsulfonyl)methanesulfonamide;

5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(1,1-dioxidoisothiazolidin-2-yl)-1*H*-pyrazole-3-carbonitrile;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-1,1,1-trifluoro-*N*-methylmethanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-*N*-(cyclopropylmethyl)-1,1,1-trifluoromethanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl}-1*H*-pyrazol-4-yl}-*N*-(2,2,2-trifluoroethyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-1,1,1-trifluoro-*N*-(methylsulfonyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-*N*-cyclobutyl-1,1,1-trifluoromethanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

 $N-\{3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl\}-1,1,1-trifluoro-N-methylmethanesulfonamide;$

N-{3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

N-{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

N-{3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl}-1*H*-pyrazol-4-yl}methanesulfonamide;

 $N-{3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl}-1H-pyrazol-4-yl}-N-{2,2,2-trifluoroethyl)methanesulfonamide;}$

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1H-pyrazol-4-yl}-N-(2,2,2-trifluoroethyl)methanesulfonamide;

- $N-\{5-\text{amino-}3-\text{cyano-}1-[2,6-\text{dichloro-}4-\text{pentafluorothiophenyl}]-1H-\text{pyrazol-}4-\text{yl}\}-N-\{2-(1H-1,2,4-\text{triazol-}1-\text{yl})\text{ethyl}\}$ methanesulfonamide;
- 5-amino-4-[bis(methylsulfonyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazole-3-carboxamide;
- N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethoxy)phenyl]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;
- N-{3-acetyl-5-amino-1-[2,6-dichloro-4-pentafluorothiophenyl]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;
- N-{5-amino-3-cyano-1-[2,6-dichloro-4-(difluoromethoxy)phenyl]-1H-pyrazol-4-yl}-N- (methylsulfonyl)methanesulfonamide;
- *N*-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}methanesulfonamide;
- *N*-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-{[1-(trifluoromethyl)cyclopropyl]methyl}methanesulfonamide;
- *N*-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-(methylsulfonyl)ethanesulfonamide;
- methyl 5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl(methylsulfonyl)carbamate;
- *N*-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl}-1*H*-pyrazol-4-yl}-*N*-methylmethanesulfonamide;
- *N*-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-(2-fluoroethyl)methanesulfonamide;
- *N*-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-(1,2,4-oxadiazol-3-ylmethyl)methanesulfonamide;
- N^2 -{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}- N^2 -(methylsulfonyl)glycinamide;
- *N*-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-(1*H*-pyrazol-3-ylmethyl)methanesulfonamide;
- *N*-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-(2,2,3,3,3-pentafluoropropyl)methanesulfonamide;
- N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1H-pyrazol-4-yl}-N-(2-

pyrrolidin-1-ylethyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-(2-morpholin-4-ylethyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-[(1-methyl-1*H*-imidazol-2-yl)methyl]methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-[(5-methylisoxazol-3-yl)methyl]methanesulfonamide;

[{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}(methylsulfonyl)amino]methyl pivalate;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-ethylmethanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-benzylmethanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-(4-fluorobenzyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-1-(methylsulfonyl)ethanesulfonamide;

N-{5-amino-1-[2-chloro-4-pentafluorothio-phenyl]-3-cyano-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

5-amino-1-[2,6-dichloro-4-pentafluorothiophenyl]-4-(1,1-dioxido-1,2-thiazinan-2-yl)-1*H*-pyrazole-3-carbonitrile;

N-{5-(benzylamino)-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

N-{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-4-[(methylsulfonyl)(2,2,2-trifluoroethyl)amino]-1H-pyrazol-5-yl}-2-methoxyacetamide;

ethyl 4-{bis(methylsulfonyl)amino}-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl}-1*H*-pyrazol-5-ylimidoformate;

N-{3-cyano-5-[(cyclopropylmethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}methanesulfonamide;

N-{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-4-[(methylsulfonyl)(2,2,2-trifluoroethyl)amino]-1*H*-pyrazol-5-yl}acetamide;

N-{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-methoxy-1*H*-pyrazol-4-yl}methanesulfonamide;

N-[3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-5-(methylamino)-1H-pyrazol-4-yl]-N-(methylsulfonyl)methanesulfonamide;

N-(3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-

{[(dimethylamino)methylene]amino}-1H-pyrazol-4-yl)-N-

(methylsulfonyl)methanesulfonamide;

N-(3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-{[2-

(dimethylamino)ethyl]amino}-1H-pyrazol-4-yl)-N-(methylsulfonyl)methanesulfonamide;

 $N-\{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[2,6-dichloro-4-pentafluoro-4-pentafluoro-4-pentafluoro-4-pentafluoro-4-pentafluoro-4-pentafluoro-4-pentafluoro-4-pentafluoro-$

1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

N-{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-morpholin-4-ylethyl)amino]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

N-{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-piperidin-1-ylethyl)amino]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

N-{5-amino-3-cyclopropyl-1-[2,6-dichloro-4-pentafluorothiophenyl]-1H-pyrazol-4-yl}-N-(methylsulfonyl)methanesulfonamide;

N {5 amino 1 {2,6 dichloro 4 pentafluorothiophenyl} 1H pyrazol 4 yl}methanesulfonamide;

N-{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(pyridin-4-ylmethyl)amino]-1*H*-pyrazol-4-yl)methanesulfonamide;

tert-butyl ({5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}amino)sulfonylcarbamate;

 $N-\{5-amino-3-cyano-1-\{2,6-dichloro-4-pentafluorothiophenyl\}-1H-pyrazol-4-yl\}-N-(2-pyridin-4-ylethyl)$ methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-(pyrazin-2-ylmethyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}-*N*-[(6-aminopyridin-3-yl)methyl]methanesulfonamide;

N-{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1H-pyrazol-4-yl}-2-oxo-N-(2,2,2-trifluoroethyl)propane-1-sulfonamide;

N-(3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-{[3-(dimethylamino)propyl]-amino}-1H-pyrazol-4-yl)-N-(2,2,2-trifluoroethyl)methanesulfonamide;

N-{3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-[(2-piperidin-1-ylethyl)amino]-1*H*-pyrazol-4-yl}-*N*-(2,2,2-trifluoroethyl)methanesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1*H*-pyrazol-4-yl}sulfamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-4-fluoro-*N*-(methylsulfonyl)benzenesulfonamide;

N-{5-amino-3-cyano-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1*H*-pyrazol-4-yl}-2,4-difluoro-*N*-(methylsulfonyl)benzenesulfonamide;

methyl 3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-4-[(methylsulfonyl)(2,2,2-trifluoroethyl)amino]-1*H*-pyrazol-5-ylcarbamate;

 $N-\{5-(\{[(2-aminoethyl)amino\}carbonyl\}amino)-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1$H-pyrazol-4-yl}-$N-(2,2,2-trifluoroethyl)methanesulfonamide; trifluoroacetate salt of $N-\{5-[(2-azetidin-1-ylethyl)amino]-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1$H-pyrazol-4-yl}-$N-(2,2,2-trifluoroethyl)methanesulfonamide; $N-(3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-{[(2,4-dihydroxyphenyl)methylene]amino}-1$H-pyrazol-4-yl)-$N-(2,2,2-trifluoroethyl)methanesulfonamide;$

N-{5-chloro-3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-1H-pyrazol-4-yl}-N-(2,2,2-trifluoroethyl)methanesulfonamide; Θ and

N-(3-cyano-1-[2,6-dichloro-4-pentafluorothiophenyl]-5-{[3-(dimethylamino)ethyl]-amino}-1H-pyrazol-4-yl)-N-(methylsulfonyl)methanesulfonamide; or a pharmaceutically acceptable salt or solvate thereof.

12-15. (Canceled)

16. (Currently amended) A pharmaceutical composition comprising a compound of formula (I) or a pharmaceutically, veterinarily or agriculturally acceptable salt or solvate thereof,

$$R^2$$
 N
 R^3
 R^5
 R^5
 R^5

wherein:

wherein:

 R^{1} represents is phenyl or heteroaryl, optionally substituted by one or more groups independently selected from the group consisting of halo, cyano, hydroxy, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, C_{1-6} alkanoyl, C_{1-6} haloalkyl, $-S(O)_{n}C_{1-6}$ haloalkyl and pentafluorothio;

 R^2 is represents halo, cyano, nitro, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, C_{2-6} haloalkynyl, $-S(O)_nC_{1-6}$ alkyl, $-S(O)_nC_{1-6}$ haloalkyl, $-(C_{0-3}$ alkylene)- C_{3-8} cycloalkyl, C_{1-6} alkanoyl, optionally substituted by C_{1-6} alkoxy, C_{1-6} haloalkanoyl, optionally substituted by C_{1-6} alkoxy, phenyl, het, $-(C_{0-3}$ alkylene)- $N(R^a)R^b$, $-(C_{0-3}$ alkylene)- $C(O)NR^aR^b$ or $-(C_{0-3}$ alkylene)- $N(R^c)C(O)R^6$;

 R^3 represents is C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, -(C_{0-3} alkylene)- C_{3-8} cycloalkyl, -(C_{1-3} alkylene)- $S(O)_nC_{1-6}$ alkyl, -(C_{1-3} alkylene)- $S(O)_nC_{1-6}$ haloalkyl, -(C_{0-3} alkylene)- $N(R^a)R^b$, -(C_{0-3} alkylene)-phenyl, -(C_{0-3} alkylene)-het, -(C_{2-3} alkenylene)-phenyl, -(C_{2-3} alkenylene)-het, C_{1-6} alkanoyl, C_{1-6} haloalkanoyl or - $N(R^c)CO_2R^6$;

 R^4 represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, -($C_{0.3}$ alkylene)- R^7 or -(C_1 . 3alkylene)- R^8 ;

or R³ and R⁴ taken together with the nitrogen and sulphur atoms to which they are attached form a 4 to 7-membered ring;

 R^5 represents is hydrogen, hydroxy, halo, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, $-N=C(R^{10})(C_{0-5}$ alkylene)- R^{11} or $-N(R^{12})R^{13}$:

R⁶ represents is C₁₋₆ alkyl or C₁₋₆ haloalkyl;

 R^7 represents is C_{3-8} cycloalkyl, $-S(O)_n R^9$, phenyl, het, $-CO_2 R^6$ or $C(O)N(R^a)R^b$;

 R^8 represents is hydroxy, C_{1-6} alkoxy, C_{1-6} haloalkoxy, cyano, $-N(R^a)R^b$ or $-O-C(O)R^6$:

 R^9 represents is C_{1-6} alkyl, C_{1-6} haloalkyl, C_{3-8} cycloalkyl, $-N(R^a)R^b$, phenyl or het; R^{10} represents is hydrogen, C_{1-6} alkyl or C_{1-6} haloalkyl;

 R^{11} represents is hydrogen, hydroxy, C_{1-3} alkoxy, $-N(R^a)R^b$, phenyl, het or C_{3-8} cycloalkyl, with the proviso that $-N=C(R^{10})(C_{0-5}$ alkylene) $-R^{11}$ is not $-N=CH_2$;

 R^{12} represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl or C_{1-6} haloalkenyl;

 R^{13} represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl, C_{1-6} haloalkenyl C_{3-8} cycloalkyl, phenyl, het, $-(C_{1-6}$ alkylene)- R^{14} , $-C(O)_p R^{15}$ or $-CON(R^{16})(C_1$. 6alkylene)- R^{17} ;

 R^{14} represents is hydroxy, $C_{1.3}$ alkoxy, $C_{1.3}$ haloalkoxy, $C_{3.8}$ cycloalkyl, phenyl, het or $-N(R^a)R^b$;

 R^{15} represents is C_{1-6} alkyl, C_{1-6} haloalkyl or -(C_{1-6} alkylene)- C_{1-3} alkoxy;

 R^{16} represents is hydrogen, $C_{1.6}$ alkyl or $C_{1.6}$ haloalkyl;

R¹⁷ represents is hydrogen or N(R^a)R^b;

 R^a and R^b independently represent hydrogen, $C_{1.6}$ alkyl, $C_{1.6}$ haloalkyl, $C_{2.6}$ alkenyl or $C_{2.6}$ haloalkenyl, or R^a additionally represents is -($C_{0.3}$ alkylene)- $C_{3.8}$ cycloalkyl, -($C_{0.3}$ alkylene)-phenyl or -($C_{0.3}$ alkylene)-het, or together R^a and R^b form a 4-to 7- membered ring, optionally substituted by one or more groups independently selected from the group consisting of halo, hydroxy, $C_{1.6}$ alkyl, $C_{1.6}$ haloalkyl, $C_{1.6}$ alkoxy and $C_{1.6}$ haloalkoxy;

 R^c represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, -(C_{0-3} alkylene)- C_{3-8} cycloalkyl, -(C_{0-3} alkylene)-phenyl or -(C_{0-3} alkylene)-het;

n represents is an the integer selected from 0, 1 and or 2;

p represents is an the integer selected from 1 and or 2;

where het represents a four- to seven-membered heterocyclic group, which is aromatic or non-aromatic and which contains one or more heteroatoms selected from the group consisting of nitrogen, oxygen, sulfur and mixtures thereof;

where heteroaryl represents a 5 or 6 membered aromatic ring which contains 1-3 heteroatoms selected from N, O and S or 4 N atoms to form a tetrazolyl;

where both phenyl and het may be optionally substituted, where the valence allows, by one or more substituents independently selected from the group consisting of halo, hydroxy, cyano, nitro, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl, C_{1-6} alkenyl, C_{1-6} haloalkoxy, C_{1-6} alkoxy, C_{1-6} alkoxy, C_{1-6} alkoxycarbonyl and NR^aR^b ;

where C_{3-8} cycloalkyl may be optionally substituted by one or more groups independently selected from the group consisting of halo, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl, C_{1-6} haloalkenyl, hydroxy, C_{1-6} alkoxy and C_{1-6} haloalkoxy; and

where any alkylene or alkenylene group may be optionally substituted by one or more halo.

17. (Withdrawn and currently amended) A method of treating a human or animal with a parasitic infection comprising the administration of a compound of formula (I) or a pharmaceutically, veterinarily or agriculturally acceptable salt or solvate thereof,

$$\begin{array}{c|c}
R^4 & O \\
 & \parallel \\
 &$$

wherein:

 R^{1} represents is phenyl or heteroaryl, optionally substituted by one or more groups independently selected from the group consisting of halo, cyano, hydroxy, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} haloalkyl, C_{1-6} haloalkoxy, C_{1-6} haloalkoxy, C_{1-6} haloalkyl, C_{1-6} haloalkyl, C_{1-6} haloalkyl and pentafluorothio;

 R^2 is represents halo, cyano, nitro, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, C_{2-6} haloalkynyl, $-S(O)_nC_{1-6}$ alkyl, $-S(O)_nC_{1-6}$ haloalkyl, $-(C_{0-3}$ alkylene)- $-C_{3-8}$ cycloalkyl, C_{1-6} alkanoyl, optionally substituted by C_{1-6} alkoxy, C_{1-6} haloalkanoyl, optionally substituted by C_{1-6} alkoxy, phenyl, het, $-(C_{0-3}$ alkylene)- $-N(R^a)R^b$, $-(C_{0-3}$ alkylene)- $-N(R^a)C(O)R^a$;

 R^3 represents is C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, -(C_{0-3} alkylene)- C_{3-8} cycloalkyl, -(C_{1-3} alkylene)- $S(O)_nC_{1-6}$ alkyl, -(C_{1-3} alkylene)- $S(O)_nC_{1-6}$ haloalkyl, -(C_{0-3} alkylene)- $N(R^a)R^b$, -(C_{0-3} alkylene)-phenyl, -(C_{0-3} alkylene)-het, -(C_{2-3} alkenylene)-phenyl, -(C_{2-3} alkenylene)-het, C_{1-6} alkanoyl, C_{1-6} haloalkanoyl or - $N(R^c)CO_2R^6$;

 R^4 represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, -(C_{0-3} alkylene)- R^7 or -(C_{1-3} alkylene)- R^8 ;

or R³ and R⁴ taken together with the nitrogen and sulphur atoms to which they are attached form a 4 to 7-membered ring;

 R^5 represents is hydrogen, hydroxy, halo, $C_{1.6}$ alkyl, $C_{1.6}$ haloalkyl, $C_{2.6}$ alkenyl, $C_{2.6}$ haloalkenyl, $C_{1.6}$ alkoxy, $C_{1.6}$ haloalkoxy, $-N=C(R^{10})(C_{0.5}$ alkylene)- R^{11} or $-N(R^{12})R^{13}$;

R⁶ represents is C₁₋₆ alkyl or C₁₋₆ haloalkyl;

R⁷ represents is C₃₋₈cycloalkyl, -S(O)_nR⁹, phenyl, het, -CO₂R⁶ or C(O)N(R^a)R^b;

 R^8 represents is hydroxy, C_{1-6} alkoxy, C_{1-6} haloalkoxy, cyano, $-N(R^a)R^b$ or $-O-C(O)R^6$;

 R^9 represents is C_{1-6} alkyl, C_{1-6} haloalkyl, C_{3-8} cycloalkyl, $-N(R^a)R^b$, phenyl or het; R^{10} represents is hydrogen, C_{1-6} alkyl or C_{1-6} haloalkyl;

 R^{11} represents is hydrogen, hydroxy, C_{1-3} alkoxy, $-N(R^a)R^b$, phenyl, het or C_3 . scycloalkyl, with the proviso that $-N=C(R^{10})(C_{0-5}$ alkylene)- R^{11} is not $-N=CH_2$;

 R^{12} represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl or C_{1-6} haloalkenyl;

 R^{13} represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl, C_{1-6} haloalkenyl C_{3-8} cycloalkyl, phenyl, het, $-(C_{1-6}$ alkylene)- R^{14} , $-C(O)_p R^{15}$ or $-CON(R^{16})(C_{1-6}$ alkylene)- R^{17} ;

 R^{14} represents is hydroxy, C_{1-3} alkoxy, C_{1-3} haloalkoxy, C_{3-8} cycloalkyl, phenyl, het or $-N(R^a)R^b$;

R¹⁵ represents is C₁₋₆ alkyl, C₁₋₆ haloalkyl or -(C₁₋₆alkylene)-C₁₋₃alkoxy;

R¹⁶ represents is hydrogen, C₁₋₆ alkyl or C₁₋₆ haloalkyl;

R¹⁷ represents is hydrogen or N(R^a)R^b;

 R^a and R^b independently represent hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl or C_{2-6} haloalkenyl, or R^a additionally represents is -(C_{0-3} alkylene)-- C_{3-8} cycloalkyl, -(C_{0-3} alkylene)--phenyl or -(C_{0-3} alkylene)--het, or together R^a and R^b form a 4-to 7- membered ring, optionally substituted by one or more groups independently selected from the group consisting of halo, hydroxy, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy and C_{1-6} haloalkoxy;

 R^{c} represents is hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, -(C_{0-3} alkylene)-phenyl or -(C_{0-3} alkylene)-het;

n represents is an the integer selected from 0, 1 and or 2;

p represents is an the integer selected from 1 and or 2;

where het represents a four- to seven-membered heterocyclic group, which is aromatic or non-aromatic and which contains one or more heteroatoms selected from the group consisting of nitrogen, oxygen, sulfur and mixtures thereof;

where heteroaryl represents a 5 or 6 membered aromatic ring which contains 1 3 heteroatoms selected from N, O and S or 4 N atoms to form a tetrazolyl;

where both phenyl and het may be optionally substituted, where the valence allows, by one or more substituents independently selected from the group consisting of halo, hydroxy, cyano, nitro, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl, C_{1-6} haloalkoxy, C_{1-6} haloalkoxy, C_{1-6} alkoxy, C_{1-6} alkoxy, C_{1-6} alkoxycarbonyl and NR^aR^b ;

where C_{3-8} cycloalkyl may be optionally substituted by one or more groups independently selected from the group consisting of halo, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkenyl, C_{1-6} haloalkenyl, hydroxy, C_{1-6} alkoxy and C_{1-6} haloalkoxy; and

where any alkylene or alkenylene group may be optionally substituted by one or more halo.